STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



* 81 (1-2, 1, 2-2) RS-1 & M

NOTES

Bar splicer assemblies shall be of an approved type and shall develop in tension at least 125 percent of the yield strength of the lapped reinforcement bars.

Splicer rods shall be of minimum 60 ksi yield strength, threaded or coiled full length. All reinforcement bars shall be lapped and fied to the splicer rods or dowel bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars.


Other systems of similar design may be submitted to the Engineer for approval. Approval shall be based on certified test results from an approved testing laboratory that the proposed bar splicer assembly satisfies the following requirements:

- Minimum Capacity (Tension in kips) = 1.25 x fy x A_t
- (Tension אין אוין אוין) Minimum *Pull-out Strength = 0.66 x fy x A_t (Tension in kips)

Where fy = Yield strength of lapped reinforcement bars in ksi.

- A_t = Tensile stress area of lapped reinforcement bars. * = 28 day concrete


BAR SPLICER ASSEMBLIES				
Bar Size to be Spliced	Splicer Rod or Dowel Bar Length	Strength Requirements		
		Min. Capacity kips - tension	Min. Pull-Out Strength kips - tension	
#4	1'-8''	14.7	7.9	
#5	2'-0"	23.0	12.3	
#6	2'-7''	33.1	17.4	
#7	3′-5″	45.1	23.8	
#8	4'-6''	58.9	31.3	
#9	5′-9′′	75.0	39.6	
#10	7′-3′′	95.0	50.3	
#11	9'-0''	117.4	61.8	




STANDARD

Bar Size	No. Assemblies Required	Location
#5	16	Bridge Deck at East Abutment
#5	16	Bridge Deck at West Abutment
#6	6	East Abutment
#6	6	West Abutment

BAR SPLICER ASSEMBLY DETAILS 23RD AVE. OVER F.A.I. 74 ROCK ISLAND COUNTY STRUCTURE NO. 081-0105





BAR SPLICER ASSEMBLY ALTERNATIVES


**Heavy Hex Nuts conforming to ASTM A 563, Grade C, D or DH may be used.

Bridge Deck

4'-0"


Threaded or Coil

Loop Couplers (E)



INSTALLATION AND SETTING METHODS

"A" :Set bar splicer assembly by means of a template bolt. "B" :Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E): Indicates epoxy coating.



FOR INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

Approach Slab

Threaded or Coil

Splicer Rods (E)

Bar Splicer for #5 bar		
Min. Capacity = 23.0 kips - tension		
Min. Pull-out Strength = 12.3 kips - tension		
No. Required =		

Ba	r Splicer for #5 bar
Min. Capacity	v = 23.0 kips - tension
Min. Pull-out	Strength = 12.3 kips - tension
No. Required	· -

FOR STUB ABUTMENTS

DESIGNED DFM CHECKED DSG DRAWN EBS CHECKED DFM

BSD-1

5-16-08

Reinforcement